

# IDAHO STATE DEPARTMENT OF GROUND WATER MONITORING PROGRAM

## A SUMMARY OF REGIONAL PROJECT 710, INCLUDING WASHINGTON AND PAYETTE COUNTIES

**ISDA Well      7100101      Township: 9 N, Range: 5 W, Section: 23**

*Sample*                      5/19/1999

ATRAZINE: 0.11 µg/L

DACTHAL (DCPA): 1.2 µg/L

**ISDA Well      7100201      Township: 10 N, Range: 5 W, Section: 20**

*Sample*                      3/19/1997

356 TRICHLORO 2 PYRIDINOL: 0.0056 µg/L

ATRAZINE: 0.001 µg/L

**ISDA Well      7100301      Township: 10 N, Range: 5 W, Section: 11**

*Sample*                      3/12/1996

ATRAZINE DESETHYL: 0.004 µg/L

*Sample*                      8/6/1996

ATRAZINE: 0.003 µg/L

PROMETON: 0.006 µg/L

**ISDA Well      7100401      Township: 9 N, Range: 5 W, Section: 13**

*Sample*                      3/25/1997

2,4-D: 0.011 µg/L

2,4-DCBA: 0.0023 µg/L

METHIDATHION: 0.043 µg/L

**ISDA Well      7100501      Township: 11 N, Range: 6 W, Section: 28**

*Sample*                      3/13/1996  
ATRAZINE DESETHYL: 0.029 µg/L  
ATRAZINE: 0.019 µg/L  
SIMAZINE: 0.005 µg/L

*Sample*                      8/5/1996  
ATRAZINE DESETHYL: 0.015 µg/L  
ATRAZINE: 0.024 µg/L  
SIMAZINE: 0.004 µg/L

*Sample*                      3/18/1997  
ATRAZINE DESETHYL: 0.024 µg/L  
ATRAZINE: 0.019 µg/L  
SIMAZINE: 0.005 µg/L

*Sample*                      5/5/1999  
ATRAZINE: 0.032 µg/L  
SIMAZINE: 0.023 µg/L

*Sample*                      5/7/2002  
ATRAZINE DESETHYL: 0.12 µg/L  
ATRAZINE: 0.03 µg/L

**ISDA Well      7100601      Township: 11 N, Range: 6 W, Section: 27**

*Sample*                      3/13/1996  
ATRAZINE DESETHYL: 0.047 µg/L  
ATRAZINE: 0.085 µg/L  
BROMACIL: 0.38 µg/L  
PROMETON: 0.042 µg/L

*Sample*                      7/29/1996  
ATRAZINE DESETHYL: 0.024 µg/L  
ATRAZINE: 0.072 µg/L  
PROMETON: 0.14 µg/L

*Sample*                      3/17/1997  
2,4-DCBA: 0.0015 µg/L  
ATRAZINE DESETHYL: 0.037 µg/L  
ATRAZINE: 0.054 µg/L  
BROMACIL: 0.11 µg/L  
DIURON: 0.034 µg/L  
PROMETON: 0.068 µg/L

*Sample*                      5/11/1999  
ATRAZINE: 0.066 µg/L

*Sample*                      4/30/2002  
ATRAZINE DESETHYL: 0.12 µg/L  
ATRAZINE: 0.054 µg/L  
BROMACIL: 0.73 µg/L

**ISDA Well      7100701      Township: 11 N, Range: 6 W, Section: 26**

*Sample*                      3/13/1996  
ATRAZINE DESETHYL: 0.021 µg/L

*Sample*                      8/5/1996  
ATRAZINE DESETHYL: 0.009 µg/L  
ATRAZINE: 0.03 µg/L

*Sample*                      3/24/1997  
ATRAZINE DESETHYL: 0.024 µg/L  
ATRAZINE: 0.029 µg/L

*Sample*                      5/11/1999  
ATRAZINE: 0.068 µg/L

*Sample*                      5/7/2002  
ATRAZINE DESETHYL: 0.054 µg/L  
DCPA: 0.45 µg/L

**ISDA Well      7100801      Township: 10 N, Range: 5 W, Section: 23**

*Sample*                      3/19/1997  
2,4-DCBA: 0.0014 µg/L  
356 TRICHLORO 2 PYRIDINOL: 0.0053 µg/L  
ATRAZINE: 0.003 µg/L  
HEXAZINONE: 0.004 µg/L

**ISDA Well      7100901      Township: 11 N, Range: 6 W, Section: 23**

*Sample*                      3/14/1996  
ATRAZINE DESETHYL: 0.078 µg/L  
ATRAZINE: 0.11 µg/L  
METRIBUZIN: 0.009 µg/L

*Sample*                      7/29/1996  
ATRAZINE DESETHYL: 0.083 µg/L  
ATRAZINE: 0.12 µg/L

*Sample*                      4/9/1997  
356 TRICHLORO 2 PYRIDINOL: 0.014 µg/L  
ATRAZINE DESETHYL: 0.087 µg/L  
ATRAZINE: 0.11 µg/L  
BROMACIL: 0.008 µg/L  
METRIBUZIN: 0.005 µg/L

*Sample*                      5/17/1999  
ATRAZINE: 0.11 µg/L  
DACTHAL (DCPA): 0.5 µg/L

*Sample*                      4/29/2002  
: 0 µg/L  
ATRAZINE DESETHYL: 0.072 µg/L  
ATRAZINE: 0.058 µg/L  
DACTHAL (DCPA): 0.16 µg/L

**ISDA Well      7101001      Township: 10 N, Range: 5 W, Section: 10**

*Sample*                      3/12/1996  
ATRAZINE DESETHYL: 0.033 µg/L  
ATRAZINE: 0.03 µg/L  
SIMAZINE: 0.003 µg/L

*Sample*                      8/6/1996  
ATRAZINE DESETHYL: 0.072 µg/L  
ATRAZINE: 0.11 µg/L

*Sample*                      3/19/1997  
ATRAZINE DESETHYL: 0.042 µg/L  
ATRAZINE: 0.029 µg/L  
SIMAZINE: 0.002 µg/L

*Sample*                      5/6/1999  
DACTHAL (DCPA): 1.1 µg/L

*Sample*                      5/7/2002  
ATRAZINE DESETHYL: 0.13 µg/L  
DACTHAL (DCPA): 3.1 µg/L

**ISDA Well      7101101      Township: 10 N, Range: 5 W, Section: 8**

*Sample*                      3/12/1996  
ATRAZINE DESETHYL: 0.057 µg/L  
ATRAZINE: 0.04 µg/L

*Sample*                      8/8/1996  
ATRAZINE DESETHYL: 0.087 µg/L  
ATRAZINE: 0.083 µg/L  
BROMACIL: 0.12 µg/L  
HEXAZINONE: 0.005 µg/L

*Sample*                      4/1/1997  
2,4-DCBA: 0.0088 µg/L  
356 TRICHLORO 2 PYRIDINOL: 0.0092 µg/L  
ATRAZINE DESETHYL: 0.089 µg/L  
ATRAZINE: 0.057 µg/L  
BROMACIL: 0.086 µg/L  
HEXAZINONE: 0.005 µg/L  
PROMETON: 0.006 µg/L  
SIMAZINE: 0.002 µg/L

*Sample*                      5/8/2002  
ATRAZINE DESETHYL: 0.19 µg/L  
ATRAZINE: 0.051 µg/L  
DACTHAL (DCPA): 1.7 µg/L

**ISDA Well      7101201      Township: 10 N, Range: 5 W, Section: 9**

*Sample*                      3/12/1996  
ATRAZINE DESETHYL: 0.57 µg/L  
ATRAZINE: 0.048 µg/L

*Sample*                      8/6/1996  
ATRAZINE DESETHYL: 0.44 µg/L  
ATRAZINE: 0.05 µg/L

*Sample*                      3/21/1997  
356 TRICHLORO 2 PYRIDINOL: 0.0098 µg/L  
ATRAZINE DESETHYL: 0.41 µg/L  
ATRAZINE: 0.043 µg/L

*Sample*                      5/6/1999  
ATRAZINE: 0.12 µg/L

*Sample*                      5/8/2002  
ATRAZINE DESETHYL: 0.42 µg/L  
ATRAZINE: 0.046 µg/L

**ISDA Well      7101301      Township: 11 N, Range: 4 W, Section: 4**

*Sample*                      3/24/1997  
2,4-DCBA: 0.0019 µg/L

**ISDA Well      7101401      Township: 10 N, Range: 5 W, Section: 1**

*Sample*                      3/25/1997  
2,4-DCBA: 0.0016 µg/L

**ISDA Well      7101501      Township: 11 N, Range: 5 W, Section: 33**

*Sample*                      3/21/1997  
2, 4-D: 0.006 µg/L  
HEXAZINONE: 0.002 µg/L

**ISDA Well      7101601      Township: 9 N, Range: 5 W, Section: 1**

*Sample*                      3/19/1997  
2,4-DCBA: 0.0015 µg/L



**ISDA Well      7101701      Township: 11 N, Range: 6 W, Section: 22**

*Sample*                      8/19/1996  
ATRAZINE DESETHYL: 0.018 µg/L  
ATRAZINE: 0.14 µg/L

*Sample*                      3/18/1997  
2,4-DCBA: 0.0019 µg/L  
ATRAZINE DESETHYL: 0.004 µg/L  
ATRAZINE: 0.063 µg/L

*Sample*                      4/30/2002  
: 0 µg/L  
ATRAZINE: 0.043 µg/L

**ISDA Well      7101801      Township: 9 N, Range: 5 W, Section: 23**

*Sample*                      3/24/1997  
2,4-DCBA: 0.0014 µg/L

**ISDA Well      7102001      Township: 10 N, Range: 5 W, Section: 15**

*Sample*                      5/7/2002  
ATRAZINE DESETHYL: 0.03 µg/L

**ISDA Well      7102101      Township: 11 N, Range: 6 W, Section: 20**

*Sample*                      3/26/1996  
ATRAZINE DESETHYL: 0.019 µg/L  
ATRAZINE: 0.008 µg/L

*Sample*                      7/30/1996  
ATRAZINE DESETHYL: 0.006 µg/L  
ATRAZINE: 0.007 µg/L

*Sample*                      3/18/1997  
2,4-DCBA: 0.0007 µg/L  
ATRAZINE DESETHYL: 0.011 µg/L  
ATRAZINE: 0.004 µg/L

**ISDA Well      7102201      Township: 9 N, Range: 5 W, Section: 11**

*Sample*                      3/27/1996  
ATRAZINE DESETHYL: 0.029 µg/L  
ATRAZINE: 0.092 µg/L  
SIMAZINE: 0.043 µg/L

*Sample*                      5/17/1999  
ATRAZINE: 0.12 µg/L

**ISDA Well      7102301      Township: 11 N, Range: 6 W, Section: 34**

*Sample*                      3/26/1996  
ATRAZINE DESETHYL: 0.059 µg/L  
ATRAZINE: 0.054 µg/L

*Sample*                      8/1/1996  
ATRAZINE DESETHYL: 0.034 µg/L  
ATRAZINE: 0.041 µg/L

*Sample*                      3/17/1997  
2,4-DCBA: 0.0017 µg/L  
356 TRICHLORO 2 PYRIDINOL: 0.0017 µg/L  
ATRAZINE DESETHYL: 0.051 µg/L  
ATRAZINE: 0.061 µg/L

*Sample*                      5/11/1999  
ATRAZINE: 0.072 µg/L  
DACTHAL (DCPA): 14 µg/L

*Sample*                      5/1/2002  
ATRAZINE DESETHYL: 0.057 µg/L  
ATRAZINE: 0.027 µg/L

**ISDA Well      7102401      Township: 11 N, Range: 6 W, Section: 13**

*Sample*                      4/30/2002  
: 0 µg/L  
DACTHAL (DCPA): 0.38 µg/L

**ISDA Well      7102501      Township: 11 N, Range: 6 W, Section: 14**

*Sample*                      3/26/1996  
ATRAZINE DESETHYL: 0.014 µg/L  
ATRAZINE: 0.007 µg/L

*Sample*                      8/7/1996  
ATRAZINE DESETHYL: 0.019 µg/L  
ATRAZINE: 0.0097 µg/L

*Sample*                      3/21/1997  
ATRAZINE DESETHYL: 0.02 µg/L  
ATRAZINE: 0.011 µg/L

*Sample*                      4/29/2002  
DACTHAL (DCPA): 0.5 µg/L  
DESETHYL ATRAZINE: 0.035 µg/L  
DICLOFOP METHYL: 0.61 µg/L

**ISDA Well      7102701      Township: 11 N, Range: 6 W, Section: 28**

*Sample*                      3/26/1996  
ATRAZINE DESETHYL: 0.014 µg/L  
ATRAZINE: 0.015 µg/L

*Sample*                      7/31/1996  
ATRAZINE DESETHYL: 0.011 µg/L  
PROMETON: 0.01 µg/L

*Sample*                      3/17/1997  
356 TRICHLORO 2 PYRIDINOL: 0.002 µg/L  
ATRAZINE DESETHYL: 0.016 µg/L  
ATRAZINE: 0.018 µg/L

*Sample*                      5/11/1999  
ATRAZINE: 0.038 µg/L  
DACTHAL (DCPA): 0.97 µg/L

*Sample*                      5/1/2002  
ATRAZINE DESETHYL: 0.037 µg/L

**ISDA Well      7102801      Township: 10 N, Range: 5 W, Section: 15**

*Sample*                      8/7/1996

2, 4-D: 0.01 µg/L

ATRAZINE DESETHYL: 0.008 µg/L

*Sample*                      3/19/1997

356 TRICHLORO 2 PYRIDINOL: 0.017 µg/L

4- NITROPHENOL: 0.011 µg/L

ATRAZINE DESETHYL: 0.012 µg/L

ATRAZINE: 0.003 µg/L

PROMETON: 0.003 µg/L

**ISDA Well      7102901      Township: 10 N, Range: 5 W, Section: 10**

*Sample*                      8/1/1996

ATRAZINE DESETHYL: 0.034 µg/L

ATRAZINE: 0.011 µg/L

SIMAZINE: 0.006 µg/L

*Sample*                      3/19/1997

ATRAZINE DESETHYL: 0.003 µg/L

**ISDA Well      7103001      Township: 11 N, Range: 6 W, Section: 17**

*Sample*                      3/27/1996

ATRAZINE DESETHYL: 0.05 µg/L

ATRAZINE: 0.045 µg/L

BROMACIL: 1.7 µg/L

METOLACHLOR: 0.03 µg/L

*Sample*                      8/7/1996

ATRAZINE DESETHYL: 0.027 µg/L

ATRAZINE: 0.032 µg/L

PROMETON: 0.004 µg/L

*Sample*                      3/19/1997

: µg/L

356 TRICHLORO 2 PYRIDINOL: 0.007 µg/L

ALACHLOR: 0.014 µg/L

ATRAZINE DESETHYL: 0.039 µg/L

ATRAZINE: 0.037 µg/L

BROMACIL: 1.1 µg/L

DIURON: 0.061 µg/L

METOLACHLOR: 0.12 µg/L

PROMETON: 0.004 µg/L

PROPAZINE: 0.001 µg/L

*Sample*                      5/13/2002

ATRAZINE DESETHYL: 0.026 µg/L

BROMACIL: 2.4 µg/L

METOLACHLOR: 0.26 µg/L

**ISDA Well      7103301      Township: 11 N, Range: 5 W, Section: 30**

*Sample*                      4/3/1996  
ATRAZINE DESETHYL: 0.043 µg/L  
ATRAZINE: 0.011 µg/L  
SIMAZINE: 0.009 µg/L

*Sample*                      3/17/1997  
2,4-DCBA: 0.0034 µg/L  
ATRAZINE DESETHYL: 0.04 µg/L  
ATRAZINE: 0.013 µg/L  
SIMAZINE: 0.009 µg/L

*Sample*                      5/1/2002  
ATRAZINE DESETHYL: 0.1 µg/L  
ATRAZINE: 0.029 µg/L  
SIMAZINE: 0.02 µg/L

**ISDA Well      7103401      Township: 11 N, Range: 5 W, Section: 29**

*Sample*                      4/3/1996  
ATRAZINE DESETHYL: 0.095 µg/L

*Sample*                      8/1/1996  
ATRAZINE DESETHYL: 0.13 µg/L  
ATRAZINE: 0.11 µg/L

*Sample*                      3/24/1997  
2,4-DCBA: 0.0014 µg/L  
ATRAZINE DESETHYL: 0.05 µg/L  
ATRAZINE: 0.02 µg/L

*Sample*                      5/10/1999  
ATRAZINE: 0.047 µg/L

*Sample*                      5/1/2002  
ATRAZINE DESETHYL: 0.091 µg/L

**ISDA Well      7103501      Township: 11 N, Range: 5 W, Section: 28**

*Sample*                      3/21/1997  
: µg/L  
ATRAZINE: 0.004 µg/L  
BROMACIL: 0.008 µg/L

*Sample*                      5/5/1999  
DACTHAL (DCPA): 20 µg/L

**ISDA Well      7103601      Township: 11 N, Range: 5 W, Section: 33**

*Sample*                      4/3/1996  
ATRAZINE DESETHYL: 0.054 µg/L  
ATRAZINE: 0.17 µg/L

*Sample*                      8/1/1996  
ATRAZINE DESETHYL: 0.072 µg/L  
ATRAZINE: 0.29 µg/L

**ISDA Well      7103701      Township: 10 N, Range: 5 W, Section: 16**

*Sample*                      4/4/1996  
ATRAZINE DESETHYL: 0.14 µg/L  
ATRAZINE: 0.34 µg/L

*Sample*                      3/21/1997  
ATRAZINE DESETHYL: 0.1 µg/L  
ATRAZINE: 0.2 µg/L

*Sample*                      5/8/2002  
ATRAZINE DESETHYL: 0.18 µg/L  
ATRAZINE: 0.088 µg/L  
HEXAZINONE: 0.15 µg/L

**ISDA Well      7103801      Township: 11 N, Range: 6 W, Section: 23**

*Sample*                      4/4/1996  
ATRAZINE DESETHYL: 0.051 µg/L  
ATRAZINE: 0.063 µg/L

*Sample*                      7/30/1996  
ATRAZINE DESETHYL: 0.032 µg/L  
ATRAZINE: 0.066 µg/L

*Sample*                      3/17/1997  
2,4-DCBA: 0.0013 µg/L  
ATRAZINE DESETHYL: 0.06 µg/L  
ATRAZINE: 0.058 µg/L  
SIMAZINE: 0.002 µg/L

*Sample*                      4/29/2002  
ATRAZINE DESETHYL: 0.09 µg/L  
ATRAZINE: 0.061 µg/L  
DICLOFOP METHYL: 2.5 µg/L

**ISDA Well      7103901      Township: 11 N, Range: 6 W, Section: 13**

*Sample*                      4/4/1996  
ATRAZINE DESETHYL: 0.17 µg/L  
ATRAZINE: 0.21 µg/L

*Sample*                      8/1/1996  
ATRAZINE DESETHYL: 0.08 µg/L  
ATRAZINE: 0.19 µg/L  
PROPAZINE: 0.007 µg/L

*Sample*                      3/17/1997  
356 TRICHLORO 2 PYRIDINOL: 0.02 µg/L  
ATRAZINE DESETHYL: 0.22 µg/L  
ATRAZINE: 0.16 µg/L  
BROMACIL: 0.004 µg/L  
PROPAZINE: 0.009 µg/L

*Sample*                      4/30/2002  
: 0 µg/L  
ATRAZINE: 0.057 µg/L  
DESETHYL ATRAZINE: 0.18 µg/L

**ISDA Well      7104001      Township: 11 N, Range: 6 W, Section: 25**

*Sample*                      4/4/1996  
ATRAZINE DESETHYL: 0.063 µg/L  
ATRAZINE: 0.1 µg/L

*Sample*                      7/29/1996  
ATRAZINE DESETHYL: 0.062 µg/L

*Sample*                      3/18/1997  
356 TRICHLORO 2 PYRIDINOL: 0.0064 µg/L  
ATRAZINE DESETHYL: 0.055 µg/L  
ATRAZINE: 0.087 µg/L

*Sample*                      4/30/2002  
ATRAZINE DESETHYL: 0.14 µg/L  
ATRAZINE: 0.092 µg/L



**ISDA Well      7104101      Township: 11 N, Range: 5 W, Section: 30**

*Sample*                      3/28/1996

ATRAZINE DESETHYL: 0.09 µg/L

ATRAZINE: 0.19 µg/L

*Sample*                      7/30/1996

ATRAZINE DESETHYL: 0.062 µg/L

ATRAZINE: 0.1 µg/L

*Sample*                      3/18/1997

2, 4-D: 0.002 µg/L

356 TRICHLORO 2 PYRIDINOL: 0.032 µg/L

ATRAZINE DESETHYL: 0.069 µg/L

ATRAZINE: 0.083 µg/L

*Sample*                      5/5/1999

ATRAZINE: 1.3 µg/L

DACTHAL (DCPA): 20 µg/L

*Sample*                      5/8/2000

ATRAZINE: 0.15 µg/L

DACTHAL (DCPA): 42 µg/L

*Sample*                      4/26/2001

DACTHAL (DCPA): 27 µg/L

*Sample*                      5/6/2002

ATRAZINE DESETHYL: 0.13 µg/L

ATRAZINE: 0.081 µg/L

DACTHAL (DCPA): 12 µg/L

**ISDA Well      7104201      Township: 11 N, Range: 6 W, Section: 16**

*Sample*                      3/28/1996  
ATRAZINE DESETHYL: 0.012 µg/L  
ATRAZINE: 0.03 µg/L  
SIMAZINE: 0.009 µg/L

*Sample*                      7/29/1996  
ATRAZINE DESETHYL: 0.013 µg/L  
ATRAZINE: 0.024 µg/L  
SIMAZINE: 0.007 µg/L

*Sample*                      3/18/1997  
: 0 µg/L  
2, 4-D: 0.0025 µg/L  
ATRAZINE DESETHYL: 0.007 µg/L  
ATRAZINE: 0.019 µg/L  
SIMAZINE: 0.008 µg/L

*Sample*                      4/29/2002  
SIMAZINE: 0.021 µg/L

**ISDA Well      7104301      Township: 11 N, Range: 5 W, Section: 28**

*Sample*                      3/24/1997  
2,4-DCBA: 0.0013 µg/L

*Sample*                      5/8/2002  
PROMETON: 0.051 µg/L

**ISDA Well      7104401      Township: 10 N, Range: 5 W, Section: 21**

*Sample*                      8/6/1996  
ATRAZINE: 0.003 µg/L  
PROMETON: 0.009 µg/L

*Sample*                      3/24/1997  
2,4-DCBA: 0.0044 µg/L

*Sample*                      5/19/1999  
DACTHAL (DCPA): 0.51 µg/L

*Sample*                      5/8/2002  
METRIBUZIN: 0.032 µg/L

**ISDA Well      7104601      Township: 11 N, Range: 4 W, Section: 27**

*Sample*                      8/8/1996  
2, 4-D: 0.026 µg/L  
ATRAZINE DESETHYL: 0.058 µg/L

**ISDA Well      7104701      Township: 11 N, Range: 5 W, Section: 19**

*Sample*                      4/3/1996  
ATRAZINE DESETHYL: 0.026 µg/L  
ATRAZINE: 0.016 µg/L

*Sample*                      7/30/1996  
ATRAZINE DESETHYL: 0.031 µg/L  
ATRAZINE: 0.016 µg/L

*Sample*                      3/17/1997  
2,4-DCBA: 0.001 µg/L  
ATRAZINE DESETHYL: 0.042 µg/L  
ATRAZINE: 0.024 µg/L

*Sample*                      4/30/2002  
: µg/L  
DESETHYL ATRAZINE: 0.028 µg/L

**ISDA Well      7104801      Township: 11 N, Range: 6 W, Section: 24**

*Sample*                      4/3/1996  
ATRAZINE DESETHYL: 0.19 µg/L  
ATRAZINE: 0.57 µg/L  
BROMACIL: 0.086 µg/L  
DACTHAL (DCPA): 0.021 µg/L

*Sample*                      8/14/1996  
ATRAZINE DESETHYL: 0.12 µg/L  
ATRAZINE: 0.48 µg/L

*Sample*                      3/24/1997  
356 TRICHLORO 2 PYRIDINOL: 0.075 µg/L  
ATRAZINE DESETHYL: 0.14 µg/L  
ATRAZINE: 0.34 µg/L  
BROMACIL: 0.019 µg/L  
DIURON: 0.063 µg/L  
SIMAZINE: 0.004 µg/L

*Sample*                      5/3/1999  
ATRAZINE: 0.23 µg/L

*Sample*                      4/29/2002  
ATRAZINE DESETHYL: 0.11 µg/L  
ATRAZINE: 0.1 µg/L

**ISDA Well      7104901      Township: 11 N, Range: 5 W, Section: 34**

*Sample*                      3/24/1997  
2,4-DCBA: 0.0015 µg/L

**ISDA Well      7105001      Township: 11 N, Range: 5 W, Section: 30**

*Sample*                      5/11/1999  
DACTHAL (DCPA): 4.5 µg/L

*Sample*                      5/1/2002  
DACTHAL (DCPA): 0.16 µg/L

**ISDA Well      7105101      Township: 11 N, Range: 6 W, Section: 22**

*Sample*                      4/4/1996  
ATRAZINE DESETHYL: 0.006 µg/L

*Sample*                      8/8/1996  
ATRAZINE: 0.004 µg/L

*Sample*                      3/18/1997  
ATRAZINE DESETHYL: 0.003 µg/L  
ATRAZINE: 0.003 µg/L

*Sample*                      4/29/2002  
DACTHAL (DCPA): 2.7 µg/L

**ISDA Well      7107001      Township: 11 , Range: 5 , Section: 30**

*Sample*                      5/6/2002  
ATRAZINE DESETHYL: 0.18 µg/L  
ATRAZINE: 0.079 µg/L  
BROMACIL: 0.1 µg/L  
DACTHAL (DCPA): 8.5 µg/L

**ISDA Well      7107101      Township: 11 , Range: 5 , Section: 30**

*Sample*                      4/26/2001  
DACTHAL (DCPA): 19 µg/L  
  
*Sample*                      5/6/2002  
ATRAZINE DESETHYL: 0.037 µg/L  
BROMACIL: 0.25 µg/L

**ISDA Well      7107201      Township: 11 , Range: 6 , Section: 25**

*Sample*                      4/26/2001  
DACTHAL (DCPA): 23 µg/L  
  
*Sample*                      5/1/2002  
ATRAZINE DESETHYL: 0.12 µg/L  
ATRAZINE: 0.061 µg/L  
DACTHAL (DCPA): 6.7 µg/L  
SIMAZINE: 0.035 µg/L

# IDAHO STATE DEPARTMENT OF AGRICULTURE

## GROUND WATER MONITORING PROGRAM

### Pesticide Index

| Pesticide         | EPA Reference (measured in Parts per |
|-------------------|--------------------------------------|
| 2, 4-D            | 70 MCL                               |
| ALACHLOR          | 2 MCL                                |
| ATRAZINE          | 3 MCL                                |
| ATRAZINE DESETHYL | 35 RfD                               |
| BROMACIL          | 100 RfD                              |
| DCPA              | 100 RfD                              |
| DIURON            | 9 RfD                                |
| HEXAZINONE        | 200 RfD                              |
| METOLACHLOR       | 100 HAL                              |
| METRIBUZIN        | 13 RfD                               |
| PROMETON          | 15 RfD                               |
| PROPAZINE         | 20 RfD                               |
| SIMAZINE          | 4 MCL                                |

MCL: EPA-established standard, Maximum Containment Level

Rfd: EPA-established standard, Reference Dose for a 10-kg Child

HAL: EPA-established standard, Health Advisory Limit

\* For questions or comments regarding this data or other water quality issues, please contact Rick Carlson

**Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.**